

Technical drawing of a road cross-section showing various elements and their dimensions. The drawing is divided into several sections, each labeled with a number in a circle (1 through 8) and a corresponding dimension in meters.

- Section 1:** Labeled "jezdnia" (roadway) with a width of 600m. It shows a cross-section of the road surface with a 2% slope.
- Section 2:** Labeled "chodnik" (sidewalk) with a width of 200m. It shows a cross-section of the sidewalk with a 2% slope.
- Section 3:** Labeled "pobocze utwardzone" (paved shoulder) with a width of 80m. It shows a cross-section of the paved shoulder with a 6% slope.
- Section 4:** Labeled "zielen" (greenery) with a width of 440m. It shows a cross-section of the greenery area.
- Section 5:** Labeled "chodnik istniejący" (existing sidewalk) with a width of 150m. It shows a cross-section of the existing sidewalk.
- Section 6:** Labeled "zielen" (greenery) with a width of 440m. It shows a cross-section of the greenery area.

The drawing also includes labels for "granica działki" (property boundary) and "Oś jezdni" (roadway axis). The cross-sections show the relative heights of the road surface, sidewalk, and greenery, as well as the slopes of the road and sidewalk.

③

5

7

2

④

6

11

Ściek z kostki betonowej wzdłuż jezdni	o gr 8 cm
PODSYPKA cementowo – piaskowa 1:4	o gr. 5 cm
ŁAWA BETONOWA (C12/15)	o wym 28 x 30 cm
PODSYPKA PIASKOWA	o gr 10 cm

[illegible]

[www.intecplan.com.pl](http://www.intecplan.com.pl)